


SC-TA2601



合格工廠登記證號:10610013600676

主要特點

Switchable(TVI / AHD / CVI / CVBS)

Built-in IR Illuminators, Effective up to 60-80 Meters

Use Light board sensor , Improve sensing accuracy

IP66

產品型號	SC-TA2601
system	PAL/NTSC
Image Sensor	SONY 1/2.9"CMOS IMX 323+Nextchip NVP2441H
Image mode	AHD / TVI / CVI / CVBS
Min. illumination	0.001 Lux (F1.2)
Effective Pixels	1920 (H) x 1080 (V)
Lens	2.8~12mm 3MP Board lens / F1.8
Shutter Speed	1/60(1/50)~1/100,000s
D/N switch	External control (default) / auto / color / B/W
White balance	Auto
BLC	Auto
Dynamic Noise Reducer	2D / 3D
SNR	≥70dB(Gain control OFF)
Video out	1.0Vp-p 75ohm
Video FPS	1080p@30fps
LED	Build in 12 high power array LED ;
IR Range	Up to 60~80m
OSD	UTC control
IR CUT	yes
Coaxial cable transmission distance	300m
Twisted pair transmission distance	100m
Power Supply	DC12V ± 10%
Power Consumption	IR OFF 90mA / IR ON 700mA
working environment	-20℃~+50℃ <95%RH

size	380 x 154 x 117mm
Weight	1350g
Language	Chinese/English.. 12 kinds in total